Tenda



CP7

Security Pan/Tilt Camera 4MP



CP7

Security Pan/Tilt Camera 4MP

Products Description

The security Pan/Tilt Camera-CP7 is a high-performaned home surveillance Camera that integrates 360° visual coverage with 4MP resolution. It is also fetured with full-duplex two-way audio, smart-motion detection/tracking, sound and light alarm functions. The product is mostly used for indoor scenarios monitoring such as homes, shops, offices and classrooms, etc. The users can access the video via wireless or wired connection to the router.

Selling Points



4MP HD Video, Low Noise and Clearer

CP7 adopts 4MP image sensors, outputs 4MP (2560*1440) HD vedios, reduces noise and captures more details.



Cover Every Corner of Your Home in Super HD

High speed pan/tilt design enables flexible rotation in all directions. CP7 covers 360° horizontally and 155° vertically (90° up, 65° down) which leaves zero blind zones at all.



Human Shape Detection for Safety Protection

Based on AI deep learning algorithms, CP7 can detect human shape and other motion. It recognizes the movement accurately and captures suspicious status automatically, and the resulting alarms will be sent to your mobile in real time.



Patrol with one click

You can set the pan/tilt partol locations via the TDSEE App, and the camera rotates cyclically according to the preset location to patrol the area.

Selling Points



Auto Targeting and Tracking

Based on the AI machine vision algorithms, the "Smart Tracking" can automatically tracks the movements and store the video.



Active Light and Sound Alarms for Enhanced Defense

When intrusion is detected during the alert period, a sound and white flashing light alarm will be triggered to warn illegal intruders. At the same time, the alarm message will be sent to your mobile.



Two-Way Audio Easy Communication Anytime & Anywhere

Real-time full-duplex two-way audio communication function enables you to chat with your family anytime and anywhere, bringing the most affectionate greetings to your beloved.



Customize your voice alerts

You can customize 3 personalized audio message for shop greeting or theft warning

Selling Points




Tenda, the Wireless Transmission Expert

The built-in dedicated antennas increase Wi-Fi performance by 30% and vedio is still smooth after passing through 2 walls.



Two Storage Options

The video can be stored in local Micro SD card and cloud storage. Even an vandal accident happens to your devices, you can still retrieve videos based on cloud recording.



Protect Your Privacy

Encrypted data transmission. It uses AES128-bit super encryption to ensure data transmission security

Technical Specifications

Pan/Tilt Horizontal rotation: 355°, vertical rotation: 155° (90° up, 65° down), support physical shutter lens Lens 4mm@F2.2 Storage: Micro SD card (Up to 128G, Class10 and above storage card)Power: DC 9V=1A Ethernet: One RJ45, 10M/100M auto-negotiation Ethernet port Button Reset x 1 LED Indicator Dual color (red & blue) LED indicator x 1 Antenna Internal antenna Product Size 103mm*88mm*88mm Video Parameter Resolution 2560 x 1440 Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support Wireless Parameter Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio Auto Patrol 6 preset patrol location	Hardware Specifications	
Ports Storage: Micro SD card (Up to 1286, Class10 and above storage card)Power: DC 9V=1A Ethernet: One RJ45, 10M/100M auto-negotiation Ethernet port Button Reset x 1 LED Indicator Dual color (red & blue) LED indicator x 1 Antenna Internal antenna Product Size 103mm*88mm*88mm Video Parameter Product Size Resolution 2560 x 1440 Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support Wireless Parameter Wireless Parameter Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Pan/Tilt	
Ports Storage card)Power: DC 9V=1A	Lens	4mm@F2.2
LED Indicator Antenna Internal antenna Product Size 103mm*88mm*88mm Video Parameter Resolution 2560 x 1440 Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support Wireless Parameter Wireless Standard Vireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm Sound and light alarm Audio DIY Audio Up to 3 personalized audio	Ports	storage card)Power: DC 9V=1A
Antenna Internal antenna Product Size 103mm*88mm*88mm Video Parameter Resolution 2560 x 1440 Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support ROI Support Wireless Parameter Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Button	Reset x 1
Product Size 103mm*88mm*88mm Video Parameter Resolution 2560 x 1440 Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support ROI Support Wireless Parameter Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	LED Indicator	Dual color (red & blue) LED indicator x 1
Video Parameter Resolution 2560 x 1440 Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support Wireless Parameter Wireless Standard Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Antenna	Internal antenna
Resolution 2560 x 1440 Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support ROI Support Wireless Parameter Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Product Size	103mm*88mm*88mm
Day and Night Shift Mode ICR infrared filter type Noise Reduction 3D digital noise reduction DWDR Support Backlight Compensation Support Wireless Parameter Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Video Parameter	
Noise Reduction DWDR Support Backlight Compensation Support Wireless Parameter Wireless Standard Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Audio DIY Audio Up to 3 personalized audio	Resolution	2560 x 1440
DWDR Support Backlight Compensation Support ROI Support Wireless Parameter Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Day and Night Shift Mode	ICR infrared filter type
Backlight Compensation ROI Support Wireless Parameter Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Noise Reduction	3D digital noise reduction
Wireless Parameter Wireless Standard Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Audio Full-duplex two-way audio DIY Audio Support Support Support Support Support Support Support IEEE 802.11b/g/n @2.4GHz Specifically Security Full-duplex two-way audio Up to 3 personalized audio	DWDR	Support
Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio DIY Audio Up to 3 personalized audio	Backlight Compensation	Support
Wireless Standard IEEE 802.11b/g/n @2.4GHz Wireless Rate 150Mbps Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	ROI	Support
Wireless Rate Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Wireless Parameter	
Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Wireless Standard	IEEE 802.11b/g/n @2.4GHz
Others Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Wireless Rate	150Mbps
Smart Alarm S-motion detection&Human Shape detection Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Security	64/128-bit WEP,WPA/WPA2,WPA-PSK/WPA2-PSK
Alarm Sound and light alarm Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Others	
Audio Full-duplex two-way audio DIY Audio Up to 3 personalized audio	Smart Alarm	S-motion detection&Human Shape detection
DIY Audio Up to 3 personalized audio	Alarm	Sound and light alarm
	Audio	Full-duplex two-way audio
Auto Patrol 6 preset patrol location	DIY Audio	Up to 3 personalized audio
	Auto Patrol	6 preset patrol location

O5

Infrared Night Vision Distance	12 Meters (40ft) (Depending on environment)
Temperature	Operating temperature: -10°C~ 50°C Storage temperature: -40°C~70°C
Humidity	Operating humidity: 10%-95%RH (non-condensing) Storage humidity: 3% ~ 95%RH (non-condensing)
Certification	CE, RoHs, FCC, RCM
Package Contents	Security Pan/Tilt Camera, Power adapter, Wall-mounted accessory kit, Quick installation guide

SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int' IE-City, #1001 Zhong Shan Yuan Rd.,Nanshan District,Shenzhen China.

E-mail:support@tenda.com.cn Tel:+86-755-2765 7098 Fax:+86-755-2765 7178 PC:518055



