

DS-PDCM15PF-IR Camera Module



Camera module that works with our newly released wireless outdoor Tri-tech detector, built-in CMOS high quality color camera that provide you an ideal solution for video verification, both users and CMS can verify alarms day and night by viewing real-time images captured by this camera module for fast and accurate response to real alarm events

- 1/2.7" Progressive Scan CMOS
- 2.0 mm fixed lens
- 3D Digital Noise Reduction
- Easy Installation
- The direction of the Angle can be adjusted to fit the TT Detector's Angle
- Protection Level IP66





Specification

Specification	
Detection Performance	
Detection Method	Video Verification
Feature	
Digital Noise Reduction	3D
Focal length	2.0mm@F2.25
Video	
Field Angle	137.2°(H), 80.1°(V)
Image Type	JPEG
Resolusion	640*480,320*240,160*120
Fill Light	Infrared Light
Fill Range	15m
Day/Night Switch	Auto
Interface	
Communication Interface	1 12-Bit Data Interface
Electrical Characteristics	
Power Supply	3 VDC
Power Consumption	1200mA
General	
Operation Temperature	-25 °C to 60 °C (-13 °F to 140 °F)
Storage Temperature	-25 °C to 60 °C (-13 °F to 140 °F)
Operation Humidity	10% to 90%
IP Rate	IP66
Dimension(WxHxD)	74.1mm x 72.35mm x 53mm
Weight	155g

Available Model

DS-PDCM15PF-IR

Accessory

Optional

DS-PDTT15AM-L	DS-PDTT15AM-L
M-WB	M-WE
72.	12



Distributed by

HIKVISION'

Headquarters

No.555 Granmo Road, Binjiang District, Hangshou 310051, Ohina T+86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA T +1-909-895-0400 sales.usa@hikvision.com

Hillorision Australia T+61-2-8599-4233 salesau@hikvision.com

Hikvision India T +91-22-28469900 sales@pramahkvision.com

Hikvision Canada T+1-866-200-6690 sales.caneda@hikvision.com

Hikvision Thailand T +662-275-9949 sales.thailand@hikvision.com Hikvision Europe T +31-23-5542770 sales eu@hikvision.com

Hikvision Italy T+39-0438-6902 Info.it@hikvision.com

Hikvision Brazil T +SS 11 3318-0050 Lutam.nupport@frikvision.com

Hikvision Turkey T+90 (216)521 7070- 7079 sales.br@hikvision.com

Hikvision Malaysia T+601-7652-2413 sales.my@hikvision.com Hillorision UK & Ireland T+01628-902140 sales.uk(@nikvision.com

Hillovision South Africa Tet: +27 [10] 0361172 sale:africa@hilovision.com

Hillorision France T +33881-85-330-450 info,fv@hikvision.com

Hillovision Kazakhstan T +7-727-9730667 nikio.ponfilov@nikvision.ru

Hillovision Vietnam T +84-974270888 sales.ut@nikvision.com Hikvision UAE 7 +971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +65-5689-4718 sg@blkvision.com

Hikvision Spain T +34-91-737-16-55 into.es@hikvision.com

Hikvision Tashkent T +89-87-1238-9438 uzb@hikvision.ru

Hikvision Hong Kong T +852-2151-1761 Into.hk@hikvision.com Hikvision Russia T +7-465-889-67-99 saleru@hikvision.com

Hikvision Korea T +82-(0)31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50 info_pi@hikvision.com

Hikvision Indonesia T +62-21-2933759 Sales Indonesia@hikvision.com

Hikvision Colombia sales.colombia@hikvision.com