

# Network Keyboard

KB-1100



KB-1100


## Key Features

- LCD screen display
- Four-dimensional joystick control
- Based on IP network
- Support multiple user permissions
- Connectable to NVR to control NVR menu and PTZ operations
- Multiple devices can be connected


## Specifications

Product model	KB-1100
Joystick	four-dimensional joystick
Ethernet port	1 RJ-45 10 M / 100 M adaptive Ethernet port
USB Interface	1 USB2.0 interfaces
Serial Interface	1 RS-232, 2 RS-485
Power Supply	12V DC
Consumption	5W
Working Temperature	-10°C ~ + 55°C
Working Humidity	10% ~ 90%
Dimensions	47mm × 270mm × 440mm(1.9" × 10.6" × 17.3")
Weight	<1kg

## Interface figure



## Dimensions



**Zhejiang Uniview Technologies Co., Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2011-2016 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.