



Key Feature

 Adapts to three-module surface mounting with protective shield.


Specification


Parameters	
Material	SECC
Working temperature	-40° C to +60° C(-40° F to 140° F)
Working humidity	10% to 95%
Dimension	325.8 × 116.4 × 58 mm (12.83" × 4.58" × 2.28")
Weight	702.3 g

Available Model

DS-KABD8003-RS3

Dimension





Unit : mm



Installation

- 1. Paste the installation Sticker 1 onto the wall. Make sure the sticker is placed leveled via measuring with the gradienter.
 - Drill 4 holes align to the screw holes on the sticker.
 - The suggested size of hole is 6 (diameter) × 25 (depth) mm.
- 2. Remove the sticker and insert the expansion sleeves into the screw holes.

Fix the mounting frame and protective shield onto the wall with 4 expansion bolts.

Thread the module-connecting lines across the thread holes of the frame.


Pass the main unit connecting lines across the thread hole to the top grid.

Connect the cables and module-connecting line 1 to the corresponding interfaces of the main unit, then place the main unit into the upper grid.

Connect the other end of the module-connecting line1 to the input interface of the sub module. Connect two sub modules via module-connecting line 2.

Organize the line with cable tie in the package.

- 3. Insert the modules in to the frame after wiring. Main unit must be placed in the top grid.
- 4. Use the hexagon wrench in the package fix the cover onto the frame.



Distributed by

HIKVISION

Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T+86-571-8807-5998 overseasbusiness@h/kv/sion.com

Hikvision USA

T+1-909-895-0400 sales.usa@hilvision.com

Hikvision Australia 1+51-2-8589-4233 sateisau@hikvision.com

Hikvision India 1+91-22-28469900 sales@pramehilivision.com

Hikvision Canada T+1-866-200-6690 salas canada@hliv/slon.com

Hikvision Thailand sales.thakand@hlevislon.com T+31-23-5842770 sales.eu@hlkvision.com

Hikvision italy T + 39-0458-6902 Info.it@hikvision.com

Hillorision Brazili T+55 11 3318-0050 Labam.support@nikviston.com

Hikvision Turkey 1 +90 9216521 7070- 7074 salas.tr@hkvtsion.com

Hikvision Malaysia T+601-7652-2413 sales.my@hikvision.com

Hikvision UK & Ireland T +81628-902140 sales.uk@h/kylsion.com

Hikylsion South Africa Tet: +27 (10) 0351172 sale.africa@hikvision.com

Hikylsion France 1 + 33(0(1-85-330-450) info.fn@hikvision.com

Hikvision Kazakhstan T +7-727-9730667 nika.panfilov@hivision.ru

Hikvision Vietnam T+84-974270888 sales.vt@hikvision.com

Hikvision UAE 1+971-4-4432090 salesme@n/kv/sion.com

Hikvision Singapore T +65-8689-4718 sg@hikvision.com

Hikvision Spain T+34-91-737-16-65 intras@hilwision.com

Hikvision Tashkent T +99-87-1238-9438 uzb@hiivision.ru

Hikvision Hong Kong T+852-2151-1761 Into.hk@hlkvision.com Hikvision Russia T +7-465-669-67-99 sateru@hikvision.com

Hikvision Korea 7 +82-(0)31-731-8817 sales xoroa@hlkvisten.com

Hikylsion Poland T+46-22-460-01-50 Info.pi@nlkvision.com

Hikvision Indonesia T +62-21-2933759 Salas Indonesia@nikvision.com

Hikvision Colombia sales.colombia@nikvision.com